Vehicle Weights and Dimensions

Status of Implementation of MOU Amendments 2014, 2016 & 2019


January 2019

MOU Amendments October 2014

- 1. Addition of the Tridem Drive Tractor Semitrailer Configuration as a new MOU Category
- 2. Increase in the Allowable Size of Aerodynamic Devices on Rear of Trucks and Trailers from 0.61 metres to 1.52 m
- 3. Increase in the Overall Length Limit for B Train Double Trailer Combinations from 25 m to 27.5 metres

Tridem Drive Tractor Semitrailer Configuration

(MOU Amendment 2014)



Jurisdiction	Allowed by Regulation	Allowed by Permit	Allowed by Admin Policy
NL			
NS			
PE			
NB			
QC			
ON			
MB			
SK			
AB			
ВС			
NT			
YK			

Aerodynamic Devices - Larger Boat Tails

(MOU Amendment 2014)




Aerodynamic devices installed at the rear of the vehicle can extend up to 1.52 m

			T
Jurisdiction	Allowed by	Allowed by	Allowed by
Jurisdiction	Regulation	Permit	Admin Policy
NL			
NS			
PE			
NB			
QC			
ON			
MB			
SK			
AB			
ВС			
NT			
YT			

Increased Length Limit for B Trains 27.5 m

(MOU Amendment 2014)



Overall Length

Jurisdiction	Allowed by Regulation	Allowed by Permit	Allowed by Admin Policy
NL			
NS			
PE			
NB			
QC			
ON			
MB			
SK			
AB			
ВС			
NT			
YK			

MOU Amendments September 2016

- 1. Provision to Allow Longer Wheelbase Tractors on Category 1: Tractor Semitrailer Configurations (up to 7.2 m)
- 2. Provision to Allow Longer Wheelbase Tractors on Category 3: B Train Double Configurations (up to 6.8 m)

Longer Wheelbase Tractors - Tractor Semitrailer

(MOU Amendment 2016)

The tractor wheelbase can be up to 7.2 m in a Tractor-Semitrailer configuration, provided the wheelbase of the semitrailer is reduced in accordance with the following table:




Tractor Wheelbase	Maximum Semitrailer Wheelbase
6.2 m or less	≤ 12.50 m
> 6.2 m to 6.3 m	≤ 12.47 m
> 6.3 m to 6.4 m	≤ 12.40 m
> 6.4 m to 6.5 m	≤ 12.33 m
> 6.5 m to 6.6 m	≤ 12.27 m
> 6.6 m to 6.7 m	≤ 12.20 m
> 6.7 m to 6.8 m	≤ 12.13 m
> 6.8 m to 6.9 m	≤ 12.07 m
> 6.9 m to 7.0 m	≤ 12.00 m
> 7.0 m to 7.1 m	≤ 11.93 m
> 7.1 m to 7.2 m	≤ 11.87 m

Jurisdic	Allowed by	Allowed by	Allowed by
tion	Regulation	Permit	Admin Policy
NL			
NS			
PE			
NB			
QC			
ON			
MB			
SK			
AB			
ВС			
NT			
YT			

Longer Wheelbase Tractors - B Train

(MOU Amendment 2016)



The tractor wheelbase can be up to 6.8 m in a B Train Double configuration, provided the sum of the wheelbases of the semitrailers is reduced in accordance with the following table:

Tractor Wheelbase	Maximum Sum of Semitrailer Wheelbases
6.2 m or less	≤ 17.00 m
> 6.2 m to 6.3 m	≤ 16.53 m
> 6.3 m to 6.4 m	≤ 16.44 m
> 6.4 m to 6.5 m	≤ 16.36 m
> 6.5 m to 6.6 m	≤ 16.27 m
> 6.6 m to 6.7 m	≤ 16.19 m
> 6.7 m to 6.8 m	≤ 16.10 m

Jurisdiction	Allowed by Regulation	Allowed by Permit	Allowed by Admin Policy
NL			
NS			
PE			
NB			
QC			
ON			
MB			
SK			
AB			
ВС			
NT			
YT			

MOU Amendments January 2019

- Provision to Allow Weight Limit Parity for Wide Base Single
 Tires (445 mm wide and greater) and Dual Tires
- Provision to Allow Boats to be Transported in Category S1 –
 Stinger Steer Automobile Carrier

Wide Base Single Tires - Weight Limit Parity with Dual Tires

(MOU Amendment 2019)


Maximum Tire Loading	10 kg/mm		
Maximum Axle Loading	Dual Tires	WBST 445 mm	WBST 455 mm
Single Axle	9100 kg	8900 kg	9100 kg
Tandem Axle:			
Spread - 1.2 m to 1.85 m	17,000 kg	17,000 kg	17,000 kg
Tridem Axle:			
Spread - 2.4 m to < 3.0 m	21,000 kg	21,000 kg	21,000 kg
Spread - 3.0 m to < 3.6 m	23,000 kg	23,000 kg	23,000 kg
Spread - 3.6 m to 3.7 m	24,000 kg	24,000 kg	24,000 kg




Jurisdiction	Allowed by Regulation	Allowed by Permit	Notes
NL			
NS			Reg change pending
PE			Reg change pending
NB			Reg change pending
QC			Reg update pending
ON			
MB			
SK			Reg change pending
AB			Reg change pending
ВС			Reg update pending
NT			
YT			

Category S1 – Stinger Steer Automobile or Boat Carrier

(MOU Amendment 2019)





Transportation of Boats

Jurisdiction	Allowed	Pending
NL		
NS		
PE		
NB		
QC		
ON		
MB		
SK		
AB		
ВС		
NT		
YT		